SOFTLAWN® GARDEN RYE

Lawn & Landscape

| PROPERTY	DESCRIPTION
Primary/Stalk Yarn Polymer	Polyethylene
Secondary/Thatch Yarn Polymer	Polyethylene
Yarn Cross Section	Polyethylene Monofilament/ Texturized Polypropylene
Standard Colors	Field/Olive with Olive/Tan Thatch
UV Stabilized	Yes
Fabric Construction	Tufted
Primary Backing	Dual Layered Woven Polypropylene
Coating Type(s)	SilverBack™ Polyurethane
Perforations	Yes
Recommended Infill	2-3 lbs. Silica Sand
Pile Height	1 1/2"
Total Weight	67 oz.
ISO 9001 Quality Assured	Yes
Roll Width	15 Ft.

ADVANTAGES

- Requires no water
- Virtually maintenance-free
- Fresh cut appearance
- Needs no chemicals or fertilizer
- Never needs mowing or insecticides
- Clean and can be cleaned - Unlike mulch and shredded rubber
- ADA/ABA compliant - Crutches won't sink in and wheelchairs roll
- Safety - No more buried glass or other harmful objects
- Lead Free
- Provides excellent drainage
- Recyclable components
- Does not support stain or odor causing bacteria, mold or mildew

SYNTHETIC TURF
INTERNATIONAL

EXPERIENCE A GREENER WORLD

SOFTLAWN® GARDEN RYE

BENEFITS

Garden Rye is an excellent landscape product, with a thatch layer for added body, reducing the amount of infill needed. The four color blend of this product provides an authentic look and feel that truly resembles a natural lawn. Garden Rye can be used for landscapes, putting green fringes, playgrounds and pet areas.

CURB

Diagram labels:
- PRESSURE TREATED 2X4 ANCHOR TO CONCRETE CURB W/ 1/2"Ø STAINLESS STEEL EXPANSION ANCHORS
- RESILIENT SURFACING
- ASPHALT
- 16" FLYASH UNDER ASPHALT
- 6" X 12" CONC. CURB W/ TWO #4 REBAR
- 9" PERFORATED COLLECTOR SUB-DRAIN
- SLOPE SUBGRADE @ 7% TOWARDS COLLECTOR TRENCH
- GEOTEXTILE FABRIC, COVER ENTIRE SUBGRADE
- PANEL DRAIN
- INFILLED SYNTHETIC TURF SYSTEM
- 2" DEPTH 1/4"-3/8" CLEAN AGGREGATE
- 4" DEPTH 3/4" TURF AGGREGATE
- 8" FLYASH UNDER TURF GRAVEL
- COMPACTED SUBGRADE
- 6" MIN. 6" MIN.
- 9" MIN.
- INSTALL FILTER FABRIC BELOW AGGREGATE BASE COURSE AND AT BOTTOM & SIDES OF TRENCH

NAILER BOARD

Diagram labels:
- MATERIAL VARIES, SEE PLAN
- 3/4" CHAMFER BOTH SIDES
- SLOPE TO DRAIN
- 6" X 8" CEDAR OR P.T. TIMBER (1/2" REVEAL) WITH GALV. STEEL SPIKES @ 2' O.C.
- 2" X 3" SHELF FOR TIMBER. ATTACH TURF BACKING TO TIMBER W/ S.S SCREWS AT 12" O.C.
- SYNTHETIC TURF SYSTEM
- FREE DRAINING FINISHING STONE, LASER GRADE ONLY
- FREE DRAINING BASE STONE

CRAFTED WITH PRIDE IN U.S.A.

ISO 9001   ISO 14001   OHSAS 18001   CERTIFIED

800 279 8873
www.synthetic-turf.ca